

## HITPOINT

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

## Piezo Electric Sounder PT-2060PQ

(RoHS)

DATE:2008.12.28


#### 1. Electrical Characteristics

VER .:3

Resonant Frequency (KHz)	6.0 ±0.5	
Operating Voltage (Vp-p/max)	30	
Rated Voltage (Vp-p)	5.0	
Current Consumption (mA/max)	1.5 at Rated Voltage	
Sound Pressure Level (dB/min)	80 at 10cm at Rated Voltage	
Capacitance (pF)	12,000 ± 30% at 120 Hz	
Operating Temperature (°C)	-20 ~ +90	
Storage Temperature (°C)	-30 ~ +100	
Condition by wave ( $^{\circ}$ C)	260±5°C / within 5sec	
Condition by hand (°C)	350±20°C / within 5sec	

PS: Vp-p=1/2duty, square wave

## 2 . Typical Frequency Response Curve






# HITPOINT


TEL:8862-26013311 FAX:8862-26013898


NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

### 3. Dimensions and Material

## 3-1 Shape







Unit:mm

### 3-2 Material

Housing	ABS 777D UL94HB plastic resin (Color : Black)
Leading Pin	Tin Plated Brass
Weight (Gram)	2.6



## HITPOINT TEL:8862-26013311 FAX:8862-26013

FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C


### 4. TESTING METHOD

#### · Standard Measurement conditions

Temperature:25 $\pm$ 2 C Humidity:45-60%

### · Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.



### 5. RELIABILITY

ITEMS	METHOD OF TEST AND MEASUREMENTS	PERFORMANCE
Coldness	After 98 hours of being exposed to -30 $^\circ\!$	No abnormality
withstanding	should be returned to normal environment for 2 hours,	shall exist
	then re-proceed to test.	
Hotness	After 98 hours of being exposed to +100 ${\mathcal C}$ environment,	No abnormality
withstanding	should be returned to normal environment for 2 hours,	shall exist
	then re-proceed to test.	
Humidity	After 98 hours of being exposed to 40 $^{\circ}\!$	No abnormality
withstanding	environment in actual operation, should be returned to	shall exist
	normal environment for 2 hours, then re-proceed to test.	
Durability	Testing after 1,000 hours actual continuous operation.(at	No abnormality
	standard measurement conditions)	shall exist
Drop	A natural drop from 75cm high down to the ground.	No abnormality
withstanding		shall exist
Vibration	Vibration of 2,000 cycles per minute, 2mm amplitude,	No abnormality
withstanding	applied in X, Y and Z directions for 30 minutes each.	shall exist



# HITPOINT TEL:8862-26013311 FAX:8862-260138

FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C

### 6. PACKAGE METHOD

<1> 250pcs per box, Total 10 boxes per carton, total 2500pcs carton; Volume: L\*W\*H=520\*335\*290mm

< 2 >N . W . : ; 8KGS ; G . W . : 9KGS ;

< 3>RoHS Mark